Shibaura Machine

コネクタピン番号ーリード線対応表

形式: CA10-IC-A**

コネクタピン番号	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
リード線色	青	緑	灰	黒	桃	白	橙	茶	赤	黄	紫	青	緑	灰	黒	桃	白	橙
マークの色	_	_	_	_	_	_	白	白	白	黒	白	赤	白	白	白	黒	青	黒
マークの条数	_	_	_	_	_	_	1	1	1	1	1	2	2	2	2	2	2	1


コネクタピン番号	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
リード線色	橙	茶	赤	黄	紫	青	緑	灰	黒	桃	白	橙	茶	赤	黄	紫	青	緑
マークの色	_	_	_	_	_	赤	白	白	白	黒	青	白	白	白	黒	白	黒	黒
マークの条数	_	_	_	_	_	1	1	1	1	1	1	2	2	2	2	2	1	1

〈リード線マーク条数の呼び方〉



マーク条数 2





注意

・ロボットの配線以外の用途に使用しないで下さい。

Shibaura Machine

CONNECTER PIN NUMBERS-LEAD WIRE LIST

TYPE: CA10-IC-A**

CONNECTER PIN NUMBER	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
INSULATION COLOR	BLUE	GREEN	GREY	BLACK	PINK	WHITE	ORANGE	BROWN	RED	YELLOW	PURPLE	BLUE	GREEN	GREY	BLACK	PINK	WHITE	ORANGE
MARKING COLOR	ı	_	ı	_	ı	_	WHITE	WHITE	WHITE	BLACK	WHITE	RED	WHITE	WHITE	WHITE	BLACK	BLUE	BLACK
KIND OF MARKING	-	_	_	_	-	_	1	1	1	1	1	2	2	2	2	2	2	1

CONNECTER PIN NUMBER	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
COLOR	ORANGE	BROWN	RED	YELLOW	PURPLE	BLUE	GREEN	GREY	BLACK	PINK	WHITE	ORANGE	BROWN	RED	YELLOW	PURPLE	BLUE	GREEN
MARKING COLOR	_	_	_	_	_	RED	WHITE	WHITE	WHITE	BLACK	BLUE	WHITE	WHITE	WHITE	BLACK	WHITE	BLACK	BLACK
KIND OF MARKING	_	_	_	_	-	1	1	1	1	1	1	2	2	2	2	2	1	1

<KIND OF MARKING>

MARKING No. 1

MARKING No. 2

MARKING NO. 2

Note

Do not use except for wiring to the robot.

